

# कलाक्षेत्र प्रतिष्ठान

**KALAKSHETRA FOUNDATION**

**THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836**

\*\*\*\*\*

## **NOTICE INVITING TENDER**

**ENQ.NO-25/2018-2019/EM Dt-17.11.2018**

**TENDER DOCUMENT FOR**

**RESURFACING OF BITUMEN APPROACH ROAD TO**

**BHARATA KALAKSHETRA AUDITORIUM OF**

**KALAKSHETRA FOUNDATION**

**THIRUVANMIYUR**


**CHENNAI – 600041**

**PH- 044 – 24524057 / 0836**

**E-Mail: [tender@kalakshetra.in](mailto:tender@kalakshetra.in)**

**Website: [www.kalakshetra.in](http://www.kalakshetra.in)**

**\*\*\*\*\***



# कलाक्षेत्र प्रतिष्ठान

## KALAKSHETRA FOUNDATION

**THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836**

\*\*\*\*\*

Kalakshetra Foundation, an Autonomous Body under the Ministry of Culture, Govt. of India, invites sealed tenders, in the enclosed format (Annexure -I) from the registered contractors (CPWD/State PWD/Railway/MES/BSNL/Reputed Central or State PSUs/Autonomous Body/similar govt. agencies undertaking construction work of similar nature) for "RESURFACING OF BITUMEN APPROACH ROAD TO BHARATA KALAKSHETRA AUDITORIUM of Kalakshetra Foundation, Thiruvanmiyur, Chennai- 41.

The sealed tenders along with proof of registered certificate, GST.No, PAN NO, REGN.NO should reach the Director, Kalakshetra Foundation, Thiruvanmiyur, Chennai- 41, on or before **30/11/2018** up to **1.00 p.m.** by post or by hand delivery and same will be opened on the same day **at 3.00 pm** itself in the presence of the tenderer or his/ her representatives if they chose to attend. Late/delayed tenders received, due to any reason whatsoever will not be accepted under any circumstances.


In case bidders need any clarification/assistance may contact Estate Manager on any working day during the office hours and can be contacted at 044- 24524057/ 0836.

|    |   |   |
|----|---|---|
| 1. | Name of the work                                    | RESURFACING OF BITUMEN APPROACH ROAD TO BHARATA KALAKSHETRA AUDITORIUM OF KALAKSHETRA FOUNDATION  |
| 2. | NIT No  | ENQ.NO-25/2018-2019/EM Dt-17.11.2018  |
| 3. | Tender documents                                    | The tender documents are to be downloaded either from the Foundation's website at <a href="http://www.kalakshetra.in">www.kalakshetra.in</a> or <a href="http://www.eprocure.gov.in">www.eprocure.gov.in</a> from 19.11.2018, 10 AM onwards. If there is any difficulty in downloading the documents, same can be collected from the Foundation's Office free of cost on any working day between 10 AM to 5 PM till 29.11.2018, 5 PM. |
| 4. | Pre-bid meeting if required                         | 26.11.2018 at 3 PM (the meeting will be held only if required). Queries if any should be sent in advance by email at <a href="mailto:tender@kalakshetra.in">tender@kalakshetra.in</a> so that the Foundation is ready with clarifications   |
| 5. | Last date and time for receipt of completed Tenders | 30.11.2018 up to 01.00PM  |
| 6. | Date and Time of Opening                            | 30.11.2018 at 03.00PM   |
| 7. | Estimated cost put to bid Rs.                       | 4,25,650-00   |
| 8. | Amount of Earnest Money Deposit (EMD)               | Rs.8600-00 (eight thousand six hundred only)  |
| 9. | Period of completion                                | 7 days (seven)  |

The Kalakshetra reserves the right to accept or reject, wholly or partly, any or all the applications without assigning any reason whatsoever. Kalakshetra decision in this regard will be final and binding on all applicants.

This issues with the approval of the competent authority.

For KALAKSHETRA FOUNDATION



# कलाक्षेत्र प्रतिष्ठान


## KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

\*\*\*\*\*

### INSTRUCTIONS TO THE TENDER:

1. The intending bidder must read the terms and conditions carefully. He/she should only submit has bid if he/she considers himself eligible and he/she is in possession of all the documents required.
2. The intending bidder must have registered in the appropriate class in CPWD/State PWD / Railway /MES/BSNL/Reputed Central or State PSUs/Autonomous Body/similar govt. agencies undertaking construction work.
3. The sealed envelope must be super scribed "RESURFACING OF BITUMEN APPROACH ROAD TO BHARATA KALAKSHETRA AUDITORIUM OF KALAKSHETRA FOUNDATION." with tender inquiry number and its due date.
4. The tender document should be filled in English and all entries should be typewritten or handwritten but there should not be any overwriting or cutting. Corrections, if any, shall be made by neatly crossing out, initialling, dating and rewriting.
5. The price/rate quoted should be indicated in words as well as in figures. If there is a discrepancy between words and figures, the lesser amount shall be considered as valid. If the tenderer does not accept the correction of the errors, the bid shall be rejected.
6. All pages provided in the tender document shall be numbered and submitted as a package along with forwarding letter on agency's/firm's letter head with signed and sealed before their submission.
7. Rates should be quoted as shown in format schedule and all applicable taxes and duties levied by government should be clearly mentioned by tenderer separately.
8. Tenders qualified by such vague and indefinite expressions such as "subject to prior confirmation", "subject to immediate acceptance" etc. will be treated as vague offers and rejected accordingly.
9. The instructions given herein will be strictly binding on the tenderers and deviation, if any, not acceptable to the Kalakshetra Foundation, will make the tender or tenders liable to be considered invalid. Tender(s) incorporating additional conditions by the tenderer(s) are liable for rejection.
10. At any time, prior to the date of submission of bids, Kalakshetra Foundation for any reason, whether at its own initiative or in response to clarification(s) sought by prospective bidders, may issue clarifications by amending the bid documents. All such amendments shall be notified and intimated by e-mail to all the tenderers. All such amendments have to be considered as mandatory constituent part of the tender document.
11. The tenderers shall fill up the (Part I) in prescribed format and submit the same duly signed on all pages and sealed as a token of their acceptance. Incomplete tenders i.e. "Part-I" without all the



# कलाक्षेत्र प्रतिष्ठान


## KALAKSHETRA FOUNDATION

**THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836**

\*\*\*\*\*

supporting documents, EMD and duly filled in, copy of valid trade license, copy of contract registration, Copy of GST registration & PAN.NO certificate, Address proof of the firm signed and stamped with official seal in all the pages will be rejected straightway without any reference to the tenderers.

12. The tenderers shall quote their rate in percentage above or below the cost mentioned in the schedule of quantities (Financial Bid) and submit the same duly signed and sealed. Overwriting in the Financial Bid is not permitted and shall be rejected straightway without any further reference.
13. Conditional tenders shall not be accepted.
14. Tenders submitted via electronic transmission or through e-mail shall not be accepted.
15. In case the last date of receipt/opening of tender is declared as a holiday, the tenders shall be opened on the next full working day.
16. The authorities of Kalakshetra Foundation do not bind themselves to accept mere lowest tender and reserves the right to reject or accept any or all tenders wholly or partially without assigning any reason whatsoever.
17. The bids shall be valid for a period of 45 days from the date of opening of the tender.
18. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
19. Tender is not transferable. One tenderer shall submit only one tender.
20. Tenderer signing the tender must clearly, specify whether he/she is signing as Sole Proprietor, Authorized person, Partner, under Power of Attorney or as Director/ Manager/Secretary etc., as the case may be.
21. In case the tenderer fails to submit any of the required documents as per tender document or found unsuitable to execute the tendered job shall not be considered and shall be rejected straight away without any further reference.
22. The successful contractor shall not transfer wholly or partially the order of work to any other person(s) / firm / company for any reason whatsoever and in which case the order shall automatically stand cancelled.
23. Tender document submitted by the participants should be concise and contain only relevant information as required under this tender.
24. The participant would be responsible for all of its expenses, costs and risks incurred towards preparation of the tender document, attending any pre-bid meeting and visiting the site or any other



# कलाक्षेत्र प्रतिष्ठान

## KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

\*\*\*\*\*

location in connection therewith. Kalakshetra Foundation shall, in no case, be responsible or liable for any such costs whatsoever, regardless of the outcome of the tender process.

25. Specifications to be followed for execution of work for Civil Work: CPWD specifications 2009 Vol. I to II with up to date correction slips.

### GENERAL TERMS AND CONDITIONS

1. The successful tenderer shall start work within 4 (four) working days from the date of award of work. The duplicate copy of the award letter duly signed with official stamp on all the pages to be submitted as a token of acceptance of the order.

2. The contractor shall also arrange for proper storage of the accessories at site and will be responsible for their watch ward.

3. The site of work shall always be kept neat and clean and all building rubbish shall be periodically removed from the premises to avoid nuisance to occupants.

4. All precautions not to damage the KF property shall be taken by the contractor. If any damage is caused to any structure etc. the same shall be made good by the contractor at his cost to the satisfaction of KF authority.

5. No payment will be made to the contractor for damage caused by rains during the execution of the works and no claim on this account will be entertained.

6. The work shall be carried out using metric dimensions only and shall be measured and paid in metric dimensions. F P S units, if any, mentioned in drawings etc are for guidance only.


7. Wherever any reference to any Indian Standard Specification occurs in the documents relating to this contract the same shall be inclusive of all amendments issued there to or revision thereof if any, up to the date of receipt of tenders.

8. Unless otherwise specified in the schedule of quantities the rates for the various items are for all heights and locations.

9. Unless otherwise specified in the schedule of quantities the rate for the items of the work shall be considered, as inclusive of pumping out or bailing out water, if required, for which no extra payments will be made. This will include water encountered from any source, such as rains, floods, sub-soil water table being high or due to any other cause whatsoever.

10. The tenderer shall study the item description, the relevant drawings and satisfy him the item of work to be carried.

11. If a tenderer quotes nil rates against each item in item rate tender or does not quote any percentage above/below on the total amount of the tender or any section/sub-head in percentage rate



# कलाक्षेत्र प्रतिष्ठान

## KALAKSHETRA FOUNDATION

**THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836**

\*\*\*\*\*

tender, the tender shall be treated as invalid and will not be considered as lowest tenderer. Rates mentioned in financial bid in this percentage tender should not be altered.

12. The contractor shall produce the copy of the current validity of the BIS certification of the agency from whom materials was procured by the contractor. BIS marked materials shall also be got tested. The materials and the quantity for which tests to be conducted shall be decided by the KF authority.

13. The contractor shall take instructions from the KF authority for stacking of materials in any place. No excavated earth or building material shall be stacked on areas where other buildings, roads, services compound walls are to be constructed.

14. Some restrictions may be imposed by the security staff etc., on the working and for movement of labour, materials etc. The contractor shall be bound to follow all such restrictions/instructions and nothing extra shall be payable on this account.

15. The contractor shall take all precautions to avoid all accidents by exhibiting necessary caution boards and by providing red flags, red lights and barriers. The contractor shall be responsible for any accident at the site of work and consequences thereof.

16. It shall be deemed that the contractor shall satisfied himself as to the nature and location of the work, transport facilities, availability of land for setting up of camp etc. The KF will bear no responsibility for lack of such knowledge and the consequences thereof.

17. Water Supply: The Contractor has to make his own arrangements for water required for the work at work sites. If the supply is arranged by the KF, 1% of the value of the work done will be recovered from final bill.


18. Electrical Power: The Contractors will have to make their own arrangements for drawing electric power from the nearest power line after obtaining permission from the TNEB at his own cost. If the supply is arranged by the KF, necessary Tariff rates shall have to be paid based on the actual consumption.

19. General Terms of payment: -

a) The rate quoted should be percentage.

b) Tender should be submitted in sealed cover along with the Earnest Money of Rs.8600/- (Rupees eight thousand six hundred only). The EMD is to be furnished in the form of Account Payee Demand Draft/ Fixed Deposit Receipt /Banker's cheque/BG from any of the schedule bank/ Nationalised Bank drawn in favour of KALAKSHETRA FOUNDATION payable at Chennai. In case of entities exempted from EMD, certificate may be furnished. EMD in any other form will not be accepted as valid EMD. EMD submitted by other bidders will be returned within 15 days after the award of contract. No interest will be paid on the Earnest Money deposited with the Kalakshetra Foundation. Earnest Money deposit in respect of the successful tenderer will be retained with the Kalakshetra Foundation until entire work as per terms and conditions of the tender is completed. If the successful tenderer fails to execute the order strictly as per





# कलाक्षेत्र प्रतिष्ठान

## KALAKSHETRA FOUNDATION

**THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836**

\*\*\*\*\*

the terms and conditions of the tender, EMD shall be forfeited forthwith after cancellation of the concerned order.

c) No advance/part payments shall be released. Payment to the successful contractor will be paid at the end of successful completion of work on submission of final bill of quantities (BOQ) along with detailed measurements. Payments will be made either by cheque or RTGS/NEFT within 10 (Ten) working days only after the satisfactory completion of work.

d) 2% (Two) Retention amount on the total value of work will be deducted at the time of passing the bills. The retention amount withheld by KF will be returned at the end of defects liability period of one year. No interest will be paid for the retention amount.

e) Income Tax, GST whichever is applicable at the prevailing rates as applicable from time to time shall be deducted as per extant rules. Quoted rates shall be inclusive of applicable GST. Failing which it shall be presumed that the prices include all such charges and no claim for the same will be entertained.

f) Revision of rates will not be permitted for any reason including during the extended period.

g) In the event of failure of work action will be taken to rescind the work and the work will be get through other agencies at contractor's risk and cost.

h) Deduction of any liability/damages incurred on behalf of the Service Provider/Contractor in the discharge of his/their obligations under this Tender.

i) During the progress of work, the Contractor/representative shall remain in touch with the Kalakshetra Foundation authorities and ascertain from them whether any excess over sanctioned cost is anticipated and/or has already occurred.


20. Time of Completion: - Time is the essence of the contract. If contractor fails to complete the work within stipulated period, Liquidated Damage (L.D.) @1% of actual contract amount per week shall be recovered from the bill of the successful tenderer subject to a maximum of 10% of the contract amount.

21. Deviation limits to be mentioned:

- Deviation Limit for works above plinth level 30%
- Deviation Limit for items in earthwork Subhead of DSR or related items: 100%

22. In case of Extra / Substituted Item the rate is to be worked out as follows.

In the case of Extra Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above/ below quoted contract amount. Payment of Extra items in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.



# कलाक्षेत्र प्रतिष्ठान

## KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

\*\*\*\*\*

23. In the case of substituted items (items that are taken up with partial substitution or in lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following para. (a) If the market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so increased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted). (b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted).


24. For Deviated Quantities in the case of contract items, substituted items, contract cum substituted items, which exceed the prescribed limits laid down, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.

25. **TERMINATION OF AGREEMENT:** - The agreement/work order herein may be terminated at any time by either party by giving a written notice of 15days to the other party.

**ADDITIONAL CONDITIONS AND SPECIFICATION:-** The additional specifications given below are not substitute to CPWD specifications or IS specifications. These shall be read along with CP W D specifications or IS specifications.

1. The work shall be carried out using metric dimensions only and shall be measured and paid in metric dimensions. F P S units, if any, mentioned in drawings etc are for guidance only.
2. Wherever any reference to any Indian Standard Specification occurs in the documents relating to this contract the same shall be inclusive of all amendments issued there to or revision thereof if any, up to the date of receipt of bids.
3. Unless otherwise specified in the schedule of quantities the rates for the various items are for all heights and locations.
4. Unless otherwise specified in the schedule of quantities the rate for the items of the work shall be considered, as inclusive of pumping out or bailing out water, if required, for which no extra payments will be made. This will include water encountered from any source, such as rains, floods, sub-soil water table being high or due to any other cause whatsoever.
5. The bidders shall study the item description, the relevant drawings and satisfy him the item of work to be carried out.
6. The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e. cartage, GST and stacking at required place etc.





# कलाक्षेत्र प्रतिष्ठान

## KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

\*\*\*\*\*

7. The dismantling wherever required shall be done in a manner so that no other portions of the building or its fixtures are damaged. If any damage done to the building it shall be made good by the contractor at his own cost and no claim what so ever shall be entertained on this account.

8. The malba/garbage generated at site due to construction activities shall be removed from the Site to the location specified by KF.

9. The contractor shall clean the site thoroughly by removing scaffolding, surplus materials, rubbish, equipments left out of his work and shall dress the site around the building to the complete satisfaction of the KF authority before the work is treated as complete.

10. Condition for cement: The contractors shall procure 33 grade (confirming to IS : 1489(Part-I)-2015 (confirming to IS:4031) Portland Pozzolana cement as required in the work, from reputed manufacturers of cement, ACC, L&T, J.P. Rewa, Vikram, J.K. Cement, Shri Cement, Birla Jute and Cement Corporation of India etc. i.e. agencies approved by CPWD.

11. CONDITIONS FOR REINFORCEMENT STEEL:- The contractor shall procure IS marked TMT bars of various grades from the steel manufacturers such as SAIL, TATA Steel Ltd., RINL, Jindal Steel & Power Ltd. and JSW Steel Ltd. or their authorized dealers having BIS license for IS : 1786- 2008 as approved from CPWD.

12. The standard sectional weights referred to shall be as in Table 5.4 in para 5.3.4 in revised CPWD specifications 2009 Vol. I will be considered for conversion of length of various sizes of TMT bars in to standard weight.

13. Special condition for structural steel (Tee, Angle, Channel, Structural Tubes and plates & R.S. Joist) The contractor shall procure Structural steel (Tee, Angle, Channel, Structural Tubes and plates & R.S. joist) from primary producers (SAIL, Tata Steel Ltd, RINL, Jindal Steel & Power Ltd. and JSW & R.S. joist) as approved from CPWD.

14. The Contractor shall not stack building material / malba / muck/ rubbish on the land or road of the KF campus. The muck, rubbish etc. shall be removed periodically as directed by the KF authority, from the site of work.

15. All the materials like cement, sand & stone chips etc. shall be arranged by the contractor. No material will be issued from KF stores.


16. All the tools & safety arrangement will be arranged by the contractor.

17. TECHNICAL SPECIFICATIONS The various items indicated in BOQ shall be read in conjunction with the technical specifications of the tender, and IS/CPWD specifications as applicable to such items. In the event of variance and /or ambiguity or incompleteness between Technical specifications, IS specifications, CPWD stipulations, and BOQ description, the following order shall prevail .

a) BOQ Description.

b) Technical Specifications.

c) IS specifications.



# कलाक्षेत्र प्रतिष्ठान

## KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

\*\*\*\*\*

d) CPWD specifications.

### TECHNICAL SPECIFICATIONS AND SCOPE OF WORK FOR ROAD REPAIRING AND RECARPETING SPECIFICATIONS:

1.1 The specifications for the entire work under the Contract shall be in accordance with the latest "CPWD Specifications", including all correction slips, Indian Road Congress Standard Specifications and Codes of Practice, latest "Indian Standard codes".

1.2 The bidder must read carefully all such specifications/codes before submitting their bid. It shall be deemed that the Bidder has thoroughly read & understood the "GCC", "SCC" & "Specifications & Scope of Work" before filling in the rates/prices, irrespective of the fact whether they have really done so or not, and no claim on this account shall be entertained at a later date.

1.3 Order of Precedence for specifications of works: i) Letter of Acceptance ii) Technical Specifications and Scope of Work iii) CPWD Specifications Vol – I & II iv) Indian Standard Codes v) Indian Road Congress Standard Specifications Standard Engineering Practice.


2. APPLYING TACK COAT OF HOT STRAIGHT RUN BITUMEN: Providing and applying tack coat using hot straight run bitumen of grade VG – 10 (conforming to IS: 73, 2013) including heating the bitumen, spraying the bitumen with mechanically operated spray unit fitted on bitumen boiler, cleaning and preparing the existing road surface as per specifications: On bituminous surface @ 0.50 Kg / sq.mtr.

i) PREPARATION OF SURFACE Prior to the application of bitumen, all vegetation, loose sealing compound, caked mud, animal dung, dust, dirt and foreign material shall be removed from the entire surface of the pavement and from existing dummy, construction and expansion joints (wherever existing) by means of mechanical sweepers and blowers, otherwise with steel wire brushes, small picks, brooms or other implements as approved by the KF. The material so removed shall be disposed off as directed by the KF. The tack coat shall not be applied nor any bitumen work done during rainy weather or when the surface is damp or wet or when the atmospheric temperature in the shade is not more than 16°C.

ii) APPLICATION OF TACK COAT Bitumen shall be heated in a boiler to a temperature of 165°C to 175°C and maintained at that temperature. Temperature shall be checked at regular intervals with the help of a thermometer. Hot bitumen shall be applied evenly to the clean, dry surface by means of a pressure sprayer at specified rate. Even and uniform distribution of bitumen shall be ensured. Bitumen shall be applied longitudinally along the length of the pavement and never across it. Excessive deposits of bitumen caused by stopping or starting of the sprayer or through leakage or any other reason shall be suitably rectified.

iii) MEASUREMENT & RATE Length and breadth shall be measured correct to a cm, along the surface of pavement. Area shall be worked out in sq.mtr correct to two places of decimal. Rate shall include the cost of all materials and labour involved in all the operations described above.

2.3 PROVIDING AND LAYING 2.5 CM THICK PREMIX CARPET: A. 2.5 cm premix carpet surfacing with 2.25 cum and 1.12 cum of stone chippings of 13.2 mm and 11.2 mm size respectively per 100 sq.mtr and 52 kg and 56 kg of hot bitumen per cum of stone chippings of 13.2 mm and 11.2 mm size respectively,



# कलाक्षेत्र प्रतिष्ठान

## KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

\*\*\*\*\*

including a tack coat with hot straight run bitumen, including consolidation with road roller of 6 to 9 tonne capacity etc. complete (tack coat to be paid for separately) With Paving Asphalt grade VG-10 heated and then mixed with solvent at the rate of 70grams per kg of asphalt.

vi) SURFACE FINISHING The surface regularity both in longitudinal and transverse directions shall be within the tolerances as following Longitudinal profile Max. permissible undulation when measured with 3 M straight edge Cross profile Max. permissible variation from specified profile when measured with a camber template 10 mm 6mm The longitudinal profile shall be checked during rolling with a three meters long straight edge and graduated wedge at the middle of each traffic lane along the road. Similarly, the transverse profile shall be checked with adjustable templates at intervals of 10 meters.

vii) RECTIFICATION Where the surface irregularity falls outside the specified tolerances the contractor shall be liable to rectify it to the satisfaction of KF by adding fresh material and re compacting to specifications where the surface is low. Where the surface is high the full depth of the layer shall be removed and replaced with fresh material and compacted to specifications.


viii) MEASUREMENTS AND RATES The length and width of the finished work shall be measured correct to a cm along the finished surface of the road. The area shall be calculated in square meter, correct to two places of decimal. The rate shall include the cost of materials and labour involved in all the operations described above for the particular item.

20. The safety arrangement shall be made by the contractor as per site requirement at his own cost.

ARBITRATION CLAUSE: - In the event of any dispute arising out of or in connection with this tender/contract/work order, whether during the subsistence of the contract or thereafter, the matter shall be referred to the Director, KALAKSHETRA FOUNDATION or any other officer nominated by the Director, KALAKSHETRA FOUNDATION for arbitration whose decision shall be final and binding on the parties. The proceedings before the Arbitrator would be governed by the provision of the Arbitration and Conciliation Act, 1996. The place of arbitration shall be Kalakshetra Foundation, Chennai.

The courts of Chennai will have exclusive jurisdiction for any issue/ dispute arising out of or in connection with the contract including relating to the arbitration proceedings.

\*\*\*\*\*



# कलाक्षेत्र प्रतिष्ठान

## KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

\*\*\*\*\*

(Part-I)

ENQ.NO-25/2018-2019/EM Dt-17.11.2018

To  
The Director  
Kalakshetra Foundation  
Thiruvanmiyur,  
Chennai – 600 041.

Date:

Dear Sir/Madam,

SUB: Tender for - “RESURFACING OF BITUMEN APPROACH ROAD TO BHARATA KALAKSHETRA AUDITORIUM OF KALAKSHETRA FOUNDATION OF KALAKSHETRA FOUNDATION, THIRUVANMIYUR, CHENNAI- 41.”

With reference to your tender enquiry cited above, we are pleased to enclose the Part-I for your kind consideration (as per prescribed format).

### Our Company profile

|      |   |   |  |
|------|---|---|--|
| i    | Name of the agency/Contractor   | : |  |
| ii   | Mailing address of the agency with PIN Code   | : |  |
| iii  | Status of the Agency: Proprietor / Partnership / Regd. Company / Co-op. Society   | : |  |
| iv   | Contact details   | : |  |
|      | Telephone numbers(s)  | : |  |
|      | Fax number(s)   | : |  |
|      | E-mail address  | : |  |
|      | Website   | : |  |
| v    | GST registration No   | : |  |
| vi   | PAN no.   | : |  |
| vii  | Trade license no.   | : |  |
| viii | Bankers and their address along with type of Account & Account No   | : |  |
| ix   | E.M.D details   | : |  |
| x    | Registration certificate from CPWD/ StatePWD/Railway/MES/BSNL/Reputed Central or State PSUs/Autonomous Body/similar govt. agencies – certified copy to be enclosed. | : |  |

We confirm that we shall abide by all the tender conditions and we do not have any additional conditions.

Thanking you,


Yours faithfully,

Signature with date and name of the signatory

Name of the Agency

(Seal of the agency)

Note: You may please attach a separate sheet as annexure for providing the details



# कलाक्षेत्र प्रतिष्ठान

## KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

\*\*\*\*\*

**FINANCIAL BID DOCUMENT - (Part-II)**  
ENQ.NO-25/2018-2019/EM Dt-17.11.2018  
(Schedule of Quantities)


The Director  
Kalakshetra Foundation  
Thiruvanmiyur,  
Chennai – 600 041.

Dear Sir/Madam,

SUB:- Tender for - "RESURFACING OF BITUMEN APPROACH ROAD TO BHARATA KALAKSHETRA AUDITORIUM OF KALAKSHETRA FOUNDATION OF KALAKSHETRA FOUNDATION, THIRUVANMIYUR, CHENNAI- 41."

With reference to your tender enquiry cited we are pleased to enclose the following as our financial bid for your kind consideration (as per given format).

| S.No | DSR     | Description of Item   | Qty     | Unit | Rate   | Amount    |
|------|---------|---|---------|------|--------|-----------|
|      | 2.1     | Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth up to 50 m and lift up to 1.5 m, as directed by KF   |         |      |        |           |
|      | 2.1.1   | All kinds of soil   | 400.00  | sqm  | 53.00  | 21200.00  |
| 1    | 16.30   | Providing and applying tack coat using hot straight run bitumen of grade VG - 10, including heating the bitumen, spraying the bitumen with mechanically operated spray unit fitted on bitumen boiler, cleaning and preparing the existing road surface as per specifications :  |         |      |        |           |
| 1.1  | 16.30.2 | On bituminous surface @ 0.50 Kg I sqm   | 1800.00 | sqm  | 27.50  | 49500.00  |
| 2    | 16.33   | 2.5 cm premix carpet surfacing with 2.25 cum and 1.12 cum of stone chippings of 13.2 mm and 11.2 mm size respectively per 100 sqm and 52 kg and 56 kg of hot bitumen per cum of stone chippings of 13.2 mm and 11.2 mm size respectively, including a tack coat with hot straight run bitumen, including consolidation with road roller of 6 to 9 tonne capacity etc. complete (tack coat to be paid for separately). |         |      |        |           |
| 2.1  | 16.33.1 | With paving Asphalt grade VG - 10 heated and then mixed with solvent at the rate of 70 grams per kg of asphalt  | 1800.00 | sqm  | 169.60 | 305280.00 |
| 3    | 16.36   | Providing and laying Bitumen Penetration Macadam with hard stone aggregate of quality, size and grading as specified, with bitumen of suitable penetration grade, including required key aggregate as   |         |      |        |           |



# कलाक्षेत्र प्रतिष्ठान

## KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

\*\*\*\*\*

|     |         |   |     |     |        |             |
|-----|---------|---|-----|-----|--------|-------------|
|     |         | specified, spreading coarse aggregate with the help of self propelled/ tipper tail mounted aggregate spreader and applying bitumen by a pressure distributor and then spreading key aggregate with the help of aggregate spreader complete, including consolidation with road roller of minimum 8 to 10 tonne capacity to achieve specified values of compaction and surface accuracy : |     |     |        |             |
| 3.1 | 16.36.2 | For 75 mm compacted thickness in two layers using stone aggregate of size 63-41 mm graded @ 0.90 cum per 10 sqm key aggregate of size 20.0 mm graded @ 0.18 cum per 10 sqm. With paving asphalt grade VG - 10 @ 68 kg/ 10 sqm.  | 100 | sqm | 496.70 | 49670.00    |
|     |         |   |     |     |        | 4,25,650.00 |
|     |         | Percentage above or below the estimated cost- % in Figures & words  |     |     |        |             |
|     |         | Grand total in Figures & words –  |     |     |        |             |

- The tenderer is need to quote the percentage only above or below or at par with the estimated cost to cover all the rates of item.
- The percentage shall be written in 2 (two) place of decimal
- Applicable GST prevailing at the time of calling tender is inclusive of the quoted rates.
- We confirm that on being successful in the tender we would take up and execute the work.
- We confirm that we will abide by all the tender conditions and we do not have any additional conditions.

Signature with date and name of the signatory  
Name of the agency with seal