

कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

NOTICE INVITING TENDER

ENQ.NO-030/2019-2020/EM Dt-24.10.2019

**TENDER DOCUMENT FOR
PROVIDING APPROACH ROAD TO
Dr.U.Ve.SWAMINATHA IYER LIBRARY
AT BTHS SCHOOL OF KALAKSHETRA**

KALAKSHETRA FOUNDATION


THIRUVANMIYUR

CHENNAI – 600041

PH- 044 – 24524057 / 0836

E-Mail: tender@kalakshetra.in

Website: www.kalakshetra.in



कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION


THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

Kalakshetra Foundation, an Autonomous Body under the Ministry of Culture, Govt. of India, invites sealed tenders, in the enclosed format from the registered contractors (CPWD/State PWD/Railway/MES/BSNL/Reputed Central or State PSUs/Autonomous Body/similar govt. agencies for similar nature of work (or) undertaking construction work of similar nature for "PROVIDING APPROACH ROAD TO Dr.U.Ve.SWAMINATHA IYER LIBRARY AT BTHS SCHOOL" of Kalakshetra Foundation, Thiruvanmiyur, Chennai-41.

The sealed tenders along with proof of registration certificate, GST.No, PAN NO, REGN.NO should reach the Director, Kalakshetra Foundation, Thiruvanmiyur, Chennai-41, on or before **15/11/2019** up to **1.00 p.m.** by post or by hand delivery and same will be opened on the same day **at 3.00 pm** itself in the presence of the tenderer or his/ her representatives if they chose to attend. Late/delayed tenders received, due to any reason whatsoever will not be accepted under any circumstances.

In case bidders need any clarification/assistance may contact Estate Manager on any working day during the office hours and can be contacted at 044- 24524057/ 0836.

1.	Name of the work	PROVIDING APPROACH ROAD TO Dr.U.Ve.SWAMINATHA IYER LIBRARY AT BTHS SCHOOL OF KALAKSHETRA FOUNDATION, THIRUVANMIYUR, CHENNAI- 41.
2.	NIT No	ENQ.NO-30/2019-2020/EM Dt-24.10.2019
3.	Tender documents	The tender documents are to be downloaded either from the Foundation's website at www.kalakshetra.in or www.eprocure.gov.in from 24.10.2019, 10 AM onwards. If there is any difficulty in downloading the documents, same can be collected from the Foundation's Office free of cost on any working day between 10 AM to 5 PM till 14.11.2019, 5 PM.
4.	Pre-bid meeting if required	11.11.2019 at 3 PM (the meeting will be held only if required). Queries if any should be sent in advance by email at tender@kalakshetra.in so that the Foundation is ready with clarifications



कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION


THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

5.	Last date and time for receipt of completed Tenders	15.11.2019 up to 01.00PM
6.	Date and Time of Opening	15.11.2019 at 03.00PM
7.	Estimated cost put to bid	Rs.5,17,704-00
8.	Amount of Earnest Money Deposit (EMD)	Rs.10500-00 (ten thousand five hundred only)
9.	Period of completion	30days (thirty)

The Kalakshetra reserves the right to accept or reject, wholly or partly, any or all the applications without assigning any reason whatsoever. Kalakshetra decision in this regard will be final and binding on all applicants.

This issues with the approval of the competent authority.

For KALAKSHETRA FOUNDATION




कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

INSTRUCTIONS TO THE TENDER:

1. The intending bidder must read the terms and conditions carefully. He/she should only submit his bid if he/she considers himself eligible and he/she is in possession of all the documents required.
2. The intending bidder must have registered in the appropriate class in CPWD/State PWD / Railway /MES/BSNL/Reputed Central or State PSUs / Autonomous Body / similar govt. agencies undertaking construction work.
3. The sealed envelope must be super scribed "PROVIDING APPROACH ROAD TO Dr.U.Ve.SWAMINATHA IYER LIBRARY AT BTHS SCHOOL OF KALAKSHETRA FOUNDATION, THIRUVANMIYUR, CHENNAI- 41." with tender inquiry number and its due date.
4. The tender document should be filled in English and all entries should be typewritten or handwritten but there should not be any overwriting or cutting. Corrections, if any, shall be made by neatly crossing out, initialling, dating and rewriting.
5. The price/rate quoted should be indicated in words as well as in figures. If there is a discrepancy between words and figures, the lesser amount shall be considered as valid. If the tenderer does not accept the correction of the errors, the bid shall be rejected.
6. All pages provided in the tender document shall be numbered and submitted as a package along with forwarding letter on agency's/firm's letter head with signed and sealed before their submission.
7. Rates should be quoted as shown in format schedule and all applicable taxes and duties levied by government should be clearly mentioned by tenderer separately.
8. Tenders qualified by such vague and indefinite expressions such as "subject to prior confirmation", "subject to immediate acceptance" etc. will be treated as vague offers and rejected accordingly.
9. The instructions given herein will be strictly binding on the tenderers and deviation, if any, not acceptable to the Kalakshetra Foundation, will make the tender or tenders liable to be considered invalid. Tender(s) incorporating additional conditions by the tenderer(s) are liable for rejection.
10. At any time, prior to the date of submission of bids, Kalakshetra Foundation for any reason, whether at its own initiative or in response to clarification(s) sought by prospective bidders, may issue clarifications by amending the bid documents. All such amendments shall be



कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

notified and intimated by e-mail to all the tenderers. All such amendments have to be considered as mandatory constituent part of the tender document.

11. The tenderers shall fill up the (Part I) in prescribed format and submit the same duly signed on all pages and sealed as a token of their acceptance. Incomplete tenders i.e. "Part-I" without all the supporting documents, EMD and duly filled in, copy of valid trade license, copy of contract registration, Copy of GST registration & PAN.NO certificate, Address proof of the firm signed and stamped with official seal in all the pages will be rejected straightway without any reference to the tenderers.

12. The tenderers shall quote their rate in percentage above or below the cost mentioned in the schedule of quantities (Financial Bid) and submit the same duly signed and sealed. Overwriting in the Financial Bid is not permitted and shall be rejected straightway without any further reference.

13. Conditional tenders shall not be accepted.

14. Tenders submitted via electronic transmission or through e-mail shall not be accepted.

15. In case the last date of receipt/opening of tender is declared as a holiday, the tenders shall be opened on the next full working day.

16. The authorities of Kalakshetra Foundation do not bind themselves to accept mere lowest tender and reserves the right to reject or accept any or all tenders wholly or partially without assigning any reason whatsoever.


17. The bids shall be valid for a period of 45 days from the date of opening of the tender.

18. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.

19. Tender is not transferable. One tenderer shall submit only one tender.

20. Tenderer signing the tender must clearly, specify whether he/she is signing as Sole Proprietor, Authorized person, Partner, under Power of Attorney or as Director/ Manager/Secretary etc., as the case may be.

21. In case the tenderer fails to submit any of the required documents as per tender document or found unsuitable to execute the tendered job shall not be considered and shall be rejected straight away without any further reference.



कलाक्षेत्र प्रतिष्ठान


KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

22. The successful contractor shall not transfer wholly or partially the order of work to any other person(s) / firm / company for any reason whatsoever and in which case the order shall automatically stand cancelled.
23. Tender document submitted by the participants should be concise and contain only relevant information as required under this tender.
24. The participant would be responsible for all of its expenses, costs and risks incurred towards preparation of the tender document, attending any pre-bid meeting and visiting the site or any other location in connection therewith. Kalakshetra Foundation shall, in no case, be responsible or liable for any such costs whatsoever, regardless of the outcome of the tender process.
25. Specifications to be followed for execution of work for Civil Work: CPWD specifications 2009 Vol. I to II with up to date correction slips.

GENERAL TERMS AND CONDITIONS

1. The successful tenderer shall start work within 4 (four) working days from the date of award of work. The duplicate copy of the award letter duly signed with official stamp on all the pages to be submitted as a token of acceptance of the order.
2. The contractor shall also arrange for proper storage of the accessories at site and will be responsible for their watch ward.
3. The site of work shall always be kept neat and clean and all building rubbish shall be periodically removed from the premises to avoid nuisance to occupants.
4. All precautions not to damage the KF property shall be taken by the contractor. If any damage is caused to any structure etc. the same shall be made good by the contractor at his cost to the satisfaction of KF authority.
5. No payment will be made to the contractor for damage caused by rains during the execution of the works and no claim on this account will be entertained.
6. The work shall be carried out using metric dimensions only and shall be measured and paid in metric dimensions. F P S units, if any, mentioned in drawings etc are for guidance only.
7. Wherever any reference to any Indian Standard Specification occurs in the documents relating to this contract the same shall be inclusive of all amendments issued there to or revision thereof if any, up to the date of receipt of tenders.




कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

8. Unless otherwise specified in the schedule of quantities the rates for the various items are for all heights and locations.
9. Unless otherwise specified in the schedule of quantities the rate for the items of the work shall be considered, as inclusive of pumping out or bailing out water, if required, for which no extra payments will be made. This will include water encountered from any source, such as rains, floods, sub-soil water table being high or due to any other cause whatsoever.
10. The tenderer shall study the item description, the relevant drawings and satisfy him the item of work to be carried.
11. If a tenderer quotes nil rates against each item in item rate tender or does not quote any percentage above/below on the total amount of the tender or any section/sub-head in percentage rate tender, the tender shall be treated as invalid and will not be considered as lowest tenderer. Rates mentioned in financial bid in this percentage tender should not be altered.
12. The contractor shall produce the copy of the current validity of the BIS certification of the agency from whom materials was procured by the contractor. BIS marked materials shall also be got tested. The materials and the quantity for which tests to be conducted shall be decided by the KF authority.
13. The contractor shall take instructions from the KF authority for stacking of materials in any place. No excavated earth or building material shall be stacked on areas where other buildings, roads, services compound walls are to be constructed.
14. Some restrictions may be imposed by the security staff etc., on the working and for movement of labour, materials etc. The contractor shall be bound to follow all such restrictions/instructions and nothing extra shall be payable on this account.
15. The contractor shall take all precautions to avoid all accidents by exhibiting necessary caution boards and by providing red flags, red lights and barriers. The contractor shall be responsible for any accident at the site of work and consequences thereof.
16. It shall be deemed that the contractor shall satisfied himself as to the nature and location of the work, transport facilities, availability of land for setting up of camp etc. The KF will bear no responsibility for lack of such knowledge and the consequences thereof.
17. Water Supply: The Contractor has to make his own arrangements for water required for the work at work sites. If the supply is arranged by the KF, 1% of the value of the work done will be recovered from final bill.
18. Electrical Power: The Contractors will have to make their own arrangements for drawing electric power from the nearest power line after obtaining permission from the TNEB at his own



कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

cost. If the supply is arranged by the KF, necessary Tariff rates shall have to be paid based on the actual consumption.

19. General Terms of payment: -

a) The rate quoted should be percentage.

b) Tender should be submitted in sealed cover along with the Earnest Money of Rs.10,500/- (Rupees ten thousand five hundred only). The EMD is to be furnished in the form of Account Payee Demand Draft/ Fixed Deposit Receipt /Banker's cheque/BG from any of the schedule bank/ Nationalised Bank drawn in favour of KALAKSHETRA FOUNDATION payable at Chennai. In case of entities exempted from EMD, certificate may be furnished. EMD in any other form will not be accepted as valid EMD.

c) EMD submitted by other bidders will be returned within 15 days after the award of contract. No interest will be paid on the Earnest Money deposited with the Kalakshetra Foundation. Earnest Money deposit in respect of the successful tenderer will be refunded on submission of performance guarantee or will be adjusted towards performance guarantee on submission of difference of amount. If the successful tenderer fails to execute the order strictly as per the terms and conditions of the tender, EMD shall be forfeited forthwith after cancellation of the concerned order.


d) **Performance Guarantee:** Within two days of receipt of the Letter of Acceptance, the successful Bidder shall submit Performance Security @ 5% (five) of the total tender value.

e) This Security deposit will not bear any interest of whatsoever. This security deposit is to be furnished in the form of Account Payee Demand Draft/ Fixed Deposit Receipt /Banker's cheque, Bank Guarantee from any of the Nationalized Banks or from any one of the scheduled banks valid for a period of six months.

f) After successful completion of the contract, the Performance Security/guarantee amount will be refunded with final bill after adjusting dues if any to the KALAKSHETRA FOUNDATION from the Contractor subject to terms and conditions as per tender document.

g) The security deposit will be forfeited in case of breach of contract, Deduction of any dues payable to KF on whatsoever account, Deduction of any liability/damages incurred by KF, on behalf of the Service Provider/Contractor in the discharge of his/their obligations under this Tender.

h) No advance/part payments shall be released. Payment to the successful contractor will be paid at the end of successful completion of work on submission of final bill of quantities (BOQ)



कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

along with detailed measurements. Payments will be made either by cheque or RTGS/NEFT within 10 (Ten) working days only after the satisfactory completion of work.

i) 2% (two) Retention amount on the total value of work will be deducted at the time of passing the bills. The retention amount withheld by KF will be returned at the end of defects liability period of one year. No interest will be paid for the retention amount.

j) Income Tax, GST whichever is applicable at the prevailing rates as applicable from time to time shall be deducted as per extant rules. Quoted rates shall be inclusive of applicable GST. Failing which it shall be presumed that the prices include all such charges and no claim for the same will be entertained.

k) Revision of rates will not be permitted for any reason including during the extended period.

l) In the event of failure of work action will be taken to rescind the work and the work will be get through other agencies at contractor's risk and cost.

m) Deduction of any liability/damages incurred on behalf of the Service Provider/Contractor in the discharge of his/their obligations under this Tender.

n) During the progress of work, the Contractor/representative shall remain in touch with the Kalakshetra Foundation authorities and ascertain from them whether any excess over sanctioned cost is anticipated and/or has already occurred.

20. Time of Completion: - Time is the essence of the contract. If contractor fails to complete the work with in stipulated period, Liquidated Damage (L.D.) @1% of actual contract amount per week shall be recovered from the bill of the successful tenderer subject to a maximum of 10% of the contract amount.

21. Deviation limits to be mentioned:


a) Deviation Limit for works above plinth level 30%

b) Deviation Limit for items in earthwork Subhead of DSR or related items: 100%

22. In case of Extra / Substituted Item the rate is to be worked out as follows.

In the case of Extra Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above/ below quoted contract amount. Payment of Extra items in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.

23. In the case of substituted items (items that are taken up with partial substitution or in lieu of items of work in the contract), the rate for the agreement item (to be substituted) and



कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836


substituted item shall also be determined in the manner as mentioned in the following para. (a) If the market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so increased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted). (b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted).

24. For Deviated Quantities in the case of contract items, substituted items, contract cum substituted items, which exceed the prescribed limits laid down, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.

25. **TERMINATION OF AGREEMENT:** - The agreement/work order herein may be terminated at any time by either party by giving a written notice of 15days to the other party.

ADDITIONAL CONDITIONS AND SPECIFICATION:- The additional specifications given below are not substitute to CPWD specifications or IS specifications. These shall be read along with CP W D specifications or IS specifications.

1. The work shall be carried out using metric dimensions only and shall be measured and paid in metric dimensions. F P S units, if any, mentioned in drawings etc are for guidance only.
2. Wherever any reference to any Indian Standard Specification occurs in the documents relating to this contract the same shall be inclusive of all amendments issued there to or revision thereof if any, up to the date of receipt of bids.
3. Unless otherwise specified in the schedule of quantities the rates for the various items are for all heights and locations.
4. Unless otherwise specified in the schedule of quantities the rate for the items of the work shall be considered, as inclusive of pumping out or bailing out water, if required, for which no extra payments will be made. This will include water encountered from any source, such as rains, floods, sub-soil water table being high or due to any other cause whatsoever.
5. The bidders shall study the item description, the relevant drawings and satisfy him the item of work to be carried out.
6. The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e. cartage, GST and stacking at required place etc.




कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

7. The dismantling wherever required shall be done in a manner so that no other portions of the building or its fixtures are damaged. If any damage done to the building it shall be made good by the contractor at his own cost and no claim what so ever shall be entertained on this account.
8. The malba/garbage generated at site due to construction activities shall be removed from the Site to the location specified by KF.
9. The contractor shall clean the site thoroughly by removing scaffolding, surplus materials, rubbish, equipments left out of his work and shall dress the site around the building to the complete satisfaction of the KF authority before the work is treated as complete.
10. Condition for cement: The contractors shall procure 33 grade (confirming to IS : 1489(Part-I)-2015 (confirming to IS:4031) Portland Pozzolana cement as required in the work, from reputed manufacturers of cement, ACC, L&T, J.P. Rewa, Vikram, J.K. Cement, Shri Cement, Birla Jute and Cement Corporation of India etc. i.e. agencies approved by CPWD.
11. CONDITIONS FOR REINFORCEMENT STEEL:- The contractor shall procure IS marked TMT bars of various grades from the steel manufacturers such as SAIL, TATA Steel Ltd., RINL, Jindal Steel & Power Ltd. and JSW Steel Ltd. or their authorized dealers having BIS license for IS : 1786-2008 as approved from CPWD.
12. The standard sectional weights referred to shall be as in Table 5.4 in para 5.3.4 in revised CPWD specifications 2009 Vol. I will be considered for conversion of length of various sizes of TMT bars in to standard weight.
13. Special condition for structural steel (Tee, Angle, Channel, Structural Tubes and plates & R.S. Joist) The contractor shall procure Structural steel (Tee, Angle, Channel, Structural Tubes and plates & R.S. joint) from primary producers (SAIL, Tata Steel Ltd, RINL, Jindal Steel & Power Ltd. and JSW & R.S. joint) as approved from CPWD.
14. The Contractor shall not stack building material / malba / muck/ rubbish on the land or road of the KF campus. The muck, rubbish etc. shall be removed periodically as directed by the KF authority, from the site of work.
15. All the materials like cement, sand & stone chips etc. shall be arranged by the contractor. No material will be issued from KF stores.
16. All the tools & safety arrangement will be arranged by the contractor.
17. The concrete mixture machine shall be used for lean concreting at the base.
18. The safety arrangement shall be made by the contractor as per site requirement at his own cost.



कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

19. The contractor will use measurement box for mixing of concrete ingredients. The mixing of concrete ingredient shall be in the presence of KF authority.

20. The contractor will ensure proper curing of cement work as per direction of KF authority.

21. GENERAL

1. The specifications contained in Ministry of Road Transport and Highways—Specifications for Road and Bridge Works (Fifth Revision) published by Indian Road Congress during 2013 (hereinafter referred to as MORT&H Specifications) shall generally be followed except otherwise mentioned in succeeding Clauses/Conditions/Paras.


2. GRANULAR SUB-BASE: Scope This work shall consist of laying and compacting well-graded material on prepared subgrade in accordance with the requirements of these Specifications. The material shall be laid in one or more layers as sub-base or lower sub-base and upper sub-base (termed as subbase hereinafter) as necessary according to lines, grades and cross-sections shown on the drawings or as directed by the KF authorities.

3. The material to be used for the work shall be natural sand, crushed gravel, crushed stone, or combination thereof depending upon the grading required. The material shall be free from organic or other deleterious constituents and shall conform to the quality standards as prescribed in the specifications.

4. Preparation of subgrade : Immediately prior to the laying of sub-base, the subgrade already finished to Clause 301 or 305as applicable shall be prepared by removing all vegetation and other extraneous matter, lightly sprinkled with water, if necessary and rolled with two passes of 80–100 kN smooth wheeled roller.

5. Spreading and compacting: The sub-base material of grading specified in the Contract shall be spread on the prepared subgrade with the help of a motor grader of adequate capacity, its blade having hydraulic controls suitable for initial adjustment and for maintaining the required slope and grade during the operation or other means as approved by the KF authorities. When the sub-base material consists of combination of materials mentioned in Clause.

6. Mixing shall be done mechanically. Mixing shall be done in a separate yard by pugmill or other approved mechanical means so as to issue homogenous & uniform mix. Moisture content of the loose material shall be checked in accordance with IS:2720 (Part 2) and suitably adjusted by sprinkling additional water from a truck mounted or trailer mounted water tank and suitable for applying water uniformly and at controlled quantities to variable widths of surface or other means approved by the Engineer so that, at the time of compaction, it is from 1 percent



कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

above to 2 percent below the optimum moisture content corresponding to IS:2720 (Part 8). While adding water, due allowance shall be made for evaporation losses. After water has been added, the material shall be processed by mechanical or other approved means until the layer is uniformly wet.


7. Immediately thereafter, rolling shall start. If the thickness of the compacted layer does not exceed 100 mm, a smooth wheeled roller of 80 to 100 kN weight may be used. For a compacted single layer upto 200 mm the compaction shall be done with the help of a vibratory roller of minimum 80 to 100 kN static weight with plain drum or pad foot-drum or heavy pneumatic tyred roller of minimum 200 to 300 kN weight having a minimum tyre pressure of 0.7 MPa or equivalent capacity roller capable of achieving the required compaction. Rolling shall commence at the lower edge and proceed towards the upper edge longitudinally for portions having unidirectional cross fall and super-elevation shall commence at the edges and progress towards the centre for portions having cross fall on both sides.

8. Each pass of the roller shall uniformly overlap not less than one-third of the track made in the preceding pass. During rolling, the grade and cross fall (camber) shall be checked and any high spots or depressions which become apparent, corrected by removing or adding fresh material. The speed of the roller shall not exceed 5 km per hour.

9. Granular sub-base shall be measured as finished work in position in cubic metres. The protection of edges of granular sub-base extended over the full formation shall be considered incidental to the work of providing granular sub-base and as such no extra payment shall be made for the same.

ARBITRATION CLAUSE: - In the event of any dispute arising out of or in connection with this tender/contract/work order, whether during the subsistence of the contract or thereafter, the matter shall be referred to the Director, KALAKSHETRA FOUNDATION or any other officer nominated by the Director, KALAKSHETRA FOUNDATION for arbitration whose decision shall be final and binding on the parties. The proceedings before the Arbitrator would be governed by the provision of the Arbitration and Conciliation Act, 1996. The place of arbitration shall be Kalakshetra Foundation, Chennai.

The courts of Chennai will have exclusive jurisdiction for any issue/ dispute arising out of or in connection with the contract including relating to the arbitration proceedings.



कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

(Part-I)

ENQ.NO-30/2019-2020/EM Dt-24.10.2019

To
The Director
Kalakshetra Foundation
Thiruvanmiyur,
Chennai – 600 041.

Date:

Dear Sir/Madam,

SUB: Tender for “PROVIDING APPROACH ROAD TO Dr.U.Ve.SWAMINATHA IYER LIBRARY
AT BTHS SCHOOL OF KALAKSHETRA FOUNDATION, THIRUVANMIYUR, CHENNAI- 41.”

With reference to your tender enquiry cited above, we are pleased to enclose the Part-I for your kind consideration (as per prescribed format).

Our Company profile

i	Name of the agency/Contractor	:	
ii	Mailing address of the agency with PIN Code	:	
iii	Status of the Agency: Proprietor / Partnership / Regd. Company / Co-op. Society		
iv	Contact details		
	Telephone numbers(s)	:	
	Fax number(s)	:	
	E-mail address	:	
	Website	:	
v	GST registration No		
vi	PAN no.		
vii	Trade license no.		
viii	Bankers and their address along with type of Account & Account No		
ix	E.M.D details		
x	Registration certificate from CPWD/ StatePWD/Railway/MES/BSNL/Reputed Central or State PSUs/Autonomous Body/similar govt. agencies – certified copy to be enclosed.		

We confirm that we shall abide by all the tender conditions and we do not have any additional conditions.

Thanking you,

Yours faithfully,

Signature with date and name of the signatory

Name of the Agency

(Seal of the agency)

Note: You may please attach a separate sheet as annexure for providing the details



कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

FINANCIAL BID DOCUMENT - (Part-II)
ENQ.NO-30/2019-2020/EM Dt-24.10.2019
(Schedule of Quantities)


The Director
Kalakshetra Foundation
Thiruvanmiyur,
Chennai – 600 041.

Dear Sir/Madam,

SUB: Tender for “PROVIDING APPROACH ROAD TO Dr.U.Ve.SWAMINATHA IYER LIBRARY
AT BTHS SCHOOL OF KALAKSHETRA FOUNDATION, THIRUVANMIYUR, CHENNAI- 41.”

With reference to your tender enquiry cited we are pleased to enclose the following as our financial bid for your kind consideration (as per given format).

PROVIDING APPROACH ROAD TO Dr.U.Ve.SWAMINATHA IYER LIBRARY AT BTHS SCHOOL OF KALAKSHETRA FOUNDATION						
S.No	DSR	Description	Qty	Rate	Unit	Amount
1	16.1	Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to an average of 22.5 cm depth, dressing to camber and consolidating with road roller including making good the undulations etc. and re-rolling the sub grade and disposal of surplus earth with lead up to 50 metres.	500.00	sqm	90.10	45050.00
2	16.78	Construction of granular sub-base by providing close graded Material conforming to specifications, mixing in a mechanical mix plant at OMC, carriage of mixed material by tippers to work site, for all leads & lifts, spreading in uniform layers of specified thickness with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per specifications and directions.				
2.1	16.78.3	With material conforming to Grade-III (size range 26.5 mm to 0.075 mm) having CBR Value-20	70.00	cum	1931.45	135201.50




कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

3	16.79	Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paver finisher in sub-base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achieve the desired density, complete as per specifications and directions.	50.00	cum.	2132.25	106612.50
4	16.31	Providing and applying tack coat using bitumen emulsion conforming to IS: 8887, using emulsion pressure distributor including preparing the surface & cleaning with mechanical broom.				
4.1	16.31.1	With rapid setting bitumen emulsion				
4.1.1	16.31.1.1	On W.B.M / W.M.M. @ 0.4kg/sqm	400.00	sqm	13.10	5240.00
5	16.33	2.5 cm premix carpet surfacing with 2.25 cum and 1.12 cum of stone chippings of 13.2 mm and 11.2 mm size respectively per 100 sqm and 52 kg and 56 kg of hot bitumen per cum of stone chippings of 13.2 mm and 11.2 mm size respectively, including a tack coat with hot straight run bitumen, including consolidation with road roller of 6 to 9 tonne capacity etc. complete (tack coat to be paid for separately).				
5.1	16.33.1	With paving Asphalt grade VG - 10 heated and then mixed with solvent at the rate of 70 grams per kg of asphalt	400	sqm	169.60	67840.00




कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

6	16.36	Providing and laying Bitumen Penetration Macadam with hard stone aggregate of quality, size and grading as specified, with bitumen of suitable penetration grade, including required key aggregate as specified, spreading coarse aggregate with the help of self propelled/ tipper tail mounted aggregate spreader and applying bitumen by a pressure distributor and then spreading key aggregate with the help of aggregate spreader complete, including consolidation with road roller of minimum 8 to 10 tonne capacity to achieve specified values of compaction and surface accuracy :				
7	16.36.1	For 50mm compacted thickness using coarse aggregate of size 50-20 mm graded @ 0.60 cum per 10 sqm key aggregate of size 12.5 mm graded @ 0.15 cum per 10 sqm. With paving asphalt grade VG - 10 @ 50 kg/ 10 sqm.	400	sqm	342.05	136820.00
8	16.8	Brick edging laid lengthwise with half brick depth including excavation, refilling and disposal of surplus earth lead up to 50 metres :				
8.1	16.8.1	With common burnt clay F.P.S. (non modular) bricks of class designation 5	260	metre	46.75	12155.00
9	2.10	Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth up to 1.5 m, including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of				



कलाक्षेत्र प्रतिष्ठान

KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

		surplus excavated soil as directed by KF, within a lead of 50 m :				
9.1	2.10.1	All kinds of soil				
9.1.1	2.10.1.2	Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia	18	metre	225.45	4058.10
10		Providing and fixing Unplasticised Rigid PVC. (i) Single socketed pipes & required fittings and specials conforming to IS : 13592 Type B including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion complete as per direction of KF.				
10.1	NSR	110mm dia	20	metre	236.35	4727.00
		Total				5,17,704.10 (or) 5,17,704.00
(Rupees five lakh seventeen thousand seven hundred and four only)						
Percentage above or below the estimated cost- % in Figures & words						
Grand total in Figures & words-						

- The tenderer is need to quote the percentage only above or below or at par with the estimated cost to cover all the rates of item.
- The percentage shall be written in 2 (two) place of decimal.
- Applicable GST prevailing at the time of calling tender is inclusive of the quoted rates.
- We confirm that on being successful in the tender we would take up and execute the work.
- We confirm that we will abide by all the tender conditions and we do not have any additional conditions.

Signature with date and name of the signatory
Name of the agency with seal